EAST SEARCH HISTORY

HITS	QUERY	DATABASE					
2	20020001029.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
32	(US-5201011-$ or US-5511148-$ or US-5581637-$ or US-5668897-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5764508-$ or US-6005547-$ or US-6023534-$ or US-6028672-$ or US-6044165-$ or US-6067112-$ or US-6219057-$ or US-6256411-$ or US-6266057-$ or US-6317762-$ or US-6320983-$ or US-6335724-$ or US-6339656-$ or US-6377700-$ or US-6429856-$ or US-6445820-$ or US-6493469-$ or US-6501461-$ or US-6563948-$).did. or (US-6567078-$ or US-6643401-$ or US-6674893-$ or US-6701013-$ or US-6720949-$ or US-6750873-$).did.	USPAT					
2	(US-5764383-$ or US-5760925-$).did.	USPAT					
20	("4910601" | "4965499" | "4980720" | "5084611" | "5119206" | "5194729" | "5212568" | "5243665" | "5276530" | "5359207" | "5377019" | "5416609" | "5511148" | "5585926").PN. OR ("5760925").URPN.	US-PGPUB; USPAT; USOCR					

32	("4723297" | "4776027" | "4807296" | "4980720" | "5084611" | "5119206" | "5140646" | "5187753" | "5212568" | "5243665" | "5276530" | "5359207" | "5377019" | "5416609" | "5497236" | "5585926" | "5616914" | "5659404" | "5677776").PN. OR ("5764383").URPN.	US-PGPUB; USPAT; USOCR	
40	S119 or S118 and @ad<"20000629"	US-PGPUB; USPAT; USOCR	
40	S119 or S118 and @ad<"20000629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	
1	(US-6044165-$).did.	USPAT	
1	S122 and differ$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
1	S122 and differ$6 and subtract$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
22	("4315282" | "5157737" | "5181255" | "5226091" | "5297216" | "5317140" | "5323470" | "5325447" | "5333209" | "5337370" | "5347295" | "5347477" | "5365598" | "5436639" | "5552823" | "5581276").PN. OR ("6044165").URPN.	US-PGPUB; USPAT; USOCR	
20	S125 and @ad<"20000629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	

13	(US-5377019-$ or US-5585926-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6256411-$ or US-6345763-$ or US-6633671-$ or US-5436639-$).did.			USPAT
2	(platenless with scann$3).ti. and ("358" or "382").clas.			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2128	(camera or (structured adj1 light) or (active adj (stereo or rang$3 or vision)) or ((pattern$ near1 light) near4 project$4)) same (ocr or "optical character recognition" or (reading near3 (text or manuscript or writing or handwriting or hand?writing))))			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
413	S133 and ("382" or "348" or "358").clas. and @ad<"20000629"			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	((structured adj1 light) or (active adj (stereo or rang$3 or vision)) or ((pattern$ near1 light) near4 project$4)) same (ocr or "optical character recognition" or (reading near3 (text or manuscript or writing or handwriting or hand?writing)))			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	S135 and ("382" or "348" or "358").clas. and @ad<"20000629"			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	S135 and @ad<"20000629"			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

2126	(camera) same (ocr or "optical character recognition" or (reading near3 (text or manuscript or writing or handwriting or hand?writing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1167	(camera) with (ocr or "optical character recognition" or (reading near3 (text or manuscript or writing or handwriting or hand?writing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	S139 and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
572	(camera) with (ocr or "optical character recognition" or (reading near3 (text or manuscript or handwriting or hand?writing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	S141 and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	("4468694" | "4667248" | "4694354" | "4806709" | "4855830" | "5025314" | "5163012" | "5191440" | "5239373" | "5309943" | "5305555" | "5365266" | "5377019" | "5394517" | "5410649" | "5436639").PN. OR ("5511148").URPN.	US-PGPUB; USPAT; USOCR
17	S143 and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	("5168531" | "5436639" | "5511148" | "5617312" | "5732227" | "6043805" | "6044165" | "6160899" | "6292169" | "6411732").PN.	US-PGPUB; USPAT; USOCR

34	S143 and (not S144)	US-PGPUB; USPAT; USOCR					
31	S147 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
682	abe-TSUTOMU.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
3	abe-TSUTOMU.in. and ("382" or "358").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
6	abe-TSUTOMU.in. and ("348").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
0	abe-TSUTOMU.in. and ("345").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
0	abe-TSUTOMU.in. and ("707").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
91	ogawa-yasuji.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
1	ogawa-yasuji.in. and ("358" or "382").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
17	ogawa-yasuji.in. and ("345" or "348").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
86	(virtual or digital) adj1 (desktop or desk) and ("382" or "358" or "348" or "715").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
4	(virtual or digital) adj1 (desktop or desk) and ("382" or "358" or "348" or "715").clas. and @ad<"20000629" and (ocr or "optical character recognition" or handwriting or handwriting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					

#	Query	Databases
5	(open adj1 book adj1 scann$3) and ("358" or "382").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	(US-5377019-$ or US-5436639-$ or US-5585926-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6256411-$ or US-6345763-$ or US-6633671-$ or US-5511148-$ or US-5335292-$ or US-6411732-$ or US-5732227-$ or US-5239373-$ or US-6178270-$ or US-6697536-$ or US-6356298-$ or US-5581637-$).did.	USPAT
25	S161 and (not S160)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S160 and (not S161)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

#	Query	Databases
32	(US-5201011-$ or US-5511148-$ or US-5581637-$ or US-5668897-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5764508-$ or US-6005547-$ or US-6023534-$ or US-6028672-$ or US-6044165-$ or US-6067112-$ or US-6219057-$ or US-6256411-$ or US-6266057-$ or US-6317762-$ or US-6320983-$ or US-6335724-$ or US-6339656-$ or US-6377700-$ or US-6429856-$ or US-6493469-$ or US-6445820-$ or US-6501461-$ or US-6563948-$).did. or (US-6567078-$ or US-6643401-$ or US-6674893-$ or US-6701013-$ or US-6720949-$ or US-6750873-$).did.	USPAT
2	US-6674893-$.DID. OR US-6356298-$.DID.	USPAT
0	US-5528290 -$.DID.	USPAT
1	5528290.pn.	USPAT
41	("3943361" | "3956629" | "4797942" | "4878247" | "5010500" | "5063602" | "5140647" | "5298697" | "5331435" | "5353058").PN. OR ("5528290" | "5581637").URPN.	US-PGPUB; USPAT; USOCR
39	S167 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

Count	Query	Databases
22	("4315282" | "5157737" | "5181255" | "5226091" | "5297216" | "5317140" | "5323470" | "5325447" | "5333209" | "5337370" | "5347295" | "5347477" | "5365598" | "5436639" | "5552823" | "5581276").PN. OR ("6044165").URPN.	US-PGPUB; USPAT; USOCR
20	S169 and @ad<"20000629"	US-PGPUB; USPAT; USOCR
1	20020001029.pn. and difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	pilu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	pilu.in. and "structured light"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	("2001/0016084").URPN.	USPAT
2	5760925.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
146	document same (skew near3 (adjust$5 or correct$6)) and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
359	(skew near3 (adjust$5 or correct$6)) and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(skew near3 (adjust$5 or correct$6)) same stereo$8 and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	(skew near3 (adjust$5 or correct$6)) and stereo$8 and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

9	(skew near3 (adjust$5 or correct$6)) and (stereo$8 or (structured adj1 light$3)) or (active adj1 (vision or ranging or light$3)) or (pattern near2 project$8)) and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	bunke.in. and handwriting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	bunke.in. and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	(skew near5 (adjust$5 or correct$6)) and (stereo$8 or (structured adj1 light$3)) or (active adj1 (vision or ranging or light$3)) or (pattern near2 project$8)) and ("382" or "358").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(US-5436639-$).did.	USPAT
1	S184 and three$16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(US-6256411-$).did.	USPAT
1	S186 and height	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	saund-eric.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

| 60 | (US-20020171731-$ or US-20030142106-$ or US-20030142112-$ or US-20030179202-$ or US-20030179214-$ or US-20030179235-$ or US-20030182630-$ or US-20040042680-$).did. or (US-5485565-$ or US-5528290-$ or US-5553224-$ or US-5581637-$ or US-5659766-$ or US-5687364-$ or US-5751855-$ or US-5760925-$ or US-5764383-$ or US-5835241-$ or US-6005482-$ or US-6326946-$ or US-6367901-$ or US-6367902-$ or US-6368002-$ or US-6377710-$ or US-6411732-$ or US-6411733-$ or US-6457792-$ or US-6517266-$ or US-6570612-$).did. or (EP-1030263-$ or EP-1259058-$ or EP-1331591-$ or EP-1331592-$ or EP-1349053-$ or EP-1349054-$ or EP-637795-$ or EP-637812-$ or EP-701224-$ or EP-701225-$ or EP-701226-$ or EP-715274-$ or EP-987622-$).did. or (JP-07064756-$ or JP-07093527-$ or JP-08087594-$ or JP-08101883-$ or JP-08106354-$ or JP-2000099591-$ or JP-2000227960-$ or JP-2001187500-$ or JP-2001199188-$ or JP-2001256031-$ or JP-2003048343-$ or JP- | US-PGPUB; USPAT; EPO; JPO |

5	(stereo$8 or (structured adj1 light$3) or (active adj1 (vision or ranging or light$3)) or (pattern near2 project$8)) and @ad<"20000629" and S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	6563948.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	("4817166" | "5038392" | "5887086" | "6028956" | "6081206" | "6154576" | "6304313" | "6363381" | "6385350").PN. OR ("6563948").URPN.	US-PGPUB; USPAT; USOCR
1	20020001029.pn. and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	US-6674893-$.DID. OR US-6356298-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S194 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	S194 and differen$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	20020001029.pn. and differen$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	("6356298").URPN.	USPAT
9	("4511252" | "4687326" | "4794262" | "5102223" | "5817719" | "5848188" | "6057909" | "6356298").PN. OR ("6674893").URPN.	US-PGPUB; USPAT; USOCR

9	(US-4511252-$ or US-4687326-$ or US-4794262-$ or US-5102223-$ or US-5831719-$ or US-5848188-$ or US-6057909-$ or US-6356298-$).did.	USPAT
9	S200 and differen$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S200 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(US-6044165-$).did.	USPAT
1	S203 and diff$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(US-6044165-$).did.	USPAT
1	S205 and (diff$6 or substra$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	S205 and velocity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11572	L1 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(US-6044165-$).did.	USPAT
1	S209 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	S209 and relative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

58 (US-20010016084-$).did. or (US-5239373-$ or US-5335292-$ or US-5377019-$ or US-5436639-$ or US-5511148-$ or US-5528290-$ or US-5581637-$ or US-5585926-$ or US-5732227-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6178270-$ or US-6256411-$ or US-6345763-$ or US-6356298-$ or US-6411732-$ or US-6570612-$ or US-6633671-$ or US-6697536-$).did. or (EP-1067362-$).did. or (EP-1067362-$).did. and kang	US-PGPUB; USPAT; EPO; DERWENT
58 (US-20010016084-$).did. or (US-5239373-$ or US-5335292-$ or US-5377019-$ or US-5436639-$ or US-5511148-$ or US-5528290-$ or US-5581637-$ or US-5585926-$ or US-5732227-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6178270-$ or US-6256411-$ or US-6345763-$ or US-6356298-$ or US-6411732-$ or US-6570612-$ or US-6633671-$ or US-6697536-$).did. or (EP-1067362-$).did. or (EP-1067362-$).did. and S219	US-PGPUB; USPAT; EPO; DERWENT

58	(US-20010016084-$).did. or (US-5239373-$ or US-5335292-$ or US-5377019-$ or US-5436639-$ or US-5511148-$ or US-5528290-$ or US-5581637-$ or US-5585926-$ or US-5732227-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6178270-$ or US-6256411-$ or US-6345763-$ or US-6356298-$ or US-6411732-$ or US-6570612-$ or US-6633671-$ or US-6697536-$).did. or (EP-1067362-$).did. or (EP-1067362-$).did.	US-PGPUB; USPAT; EPO; DERWENT

32	("4723297" | "4776027" | "4807296" | "4980720" | "5119206" | "5084611" | "5187753" | "5140646" | "5212568" | "5243665" | "5276530" | "5359207" | "5377019" | "5416609" | "5497236" | "5585926" | "5616914" | "5659404" | "5677776").PN. OR ("5764383").URPN.	US-PGPUB; USPAT; USOCR
20	("4910601" | "4965499" | "4980720" | "5084611" | "5119206" | "5194729" | "5212568" | "5243665" | "5276530" | "5359207" | "5377019" | "5416609" | "5511148" | "5585926").PN. OR ("5760925").URPN.	US-PGPUB; USPAT; USOCR
40	S244 or S243 and @ad<"20000629"	US-PGPUB; USPAT; USOCR
1	(US-6044165-$).did.	USPAT
23992371	S219 and S219 and S245 or S246 or (not S219)	US-PGPUB; USPAT; EPO; DERWENT
9	S247 and S219	US-PGPUB; USPAT; EPO; DERWENT

			US-PGPUB; USPAT; EPO; DERWENT				
58	(US-20010016084-$).did. or (US-5239373-$ or US-5335292-$ or US-5377019-$ or US-5436639-$ or US-5511148-$ or US-5528290-$ or US-5581637-$ or US-5585926-$ or US-5732227-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6178270-$ or US-6256411-$ or US-6345763-$ or US-6356298-$ or US-6411732-$ or US-6570612-$ or US-6633671-$ or US-6697536-$).did. or (EP-1067362-$).did. or (EP-1067362-$).did. or (US-20010016084-$).did. or (US-5239373-$ or US-5335292-$ or US-5377019-$ or US-5436639-$ or US-5511148-$ or US-5528290-$ or US-5581637-$ or US-5585926-$ or US-5732227-$ or US-5748780-$ or US-5760925-$ or US-5764383-$ or US-5886342-$ or US-5894529-$ or US-5940544-$ or US-6044165-$ or US-6178270-$ or US-6256411-$ or US-6345763-$ or US-6356298-$ or US-6411732-$ or US-6570612-$ or US-6633671-$ or US-6697536-$).did. or (EP-1067362-$).did. or (EP-1067362-$).did. and S247	US-PGPUB; USPAT; EPO; DERWENT				
1352	(structured adj1 light$3) or (active adj1 (vision or ranging or light$3)) and ((infrared or infra?1red) with filter with visible with camera)	US-PGPUB; USPAT; EPO; DERWENT				

1352	(structured adj1 light$3) or (active adj1 (vision or ranging or light$3)) and ((infrared or infra?red) with filter with visible with camera) and ("382" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; DERWENT
154	S251 and ("382" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; DERWENT
0	((structured adj1 light$3) or (active adj1 (vision or ranging or light$3))) and ((infrared or infra?red) with filter with visible with camera) and ("382" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; DERWENT
5	((structured adj1 light$3) or (active adj1 (vision or ranging or light$3))) and ((infrared or infra?red) with filter with visible with camera)	US-PGPUB; USPAT; EPO; DERWENT
7	((structured adj1 light$3) or (active adj1 (vision or ranging or light$3))) and ((infrared or infra?red) with filter with visible same camera)	US-PGPUB; USPAT; EPO; DERWENT
1	S255 and ("382" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; DERWENT
34	((structured adj1 light$3) or (active adj1 (vision or ranging or light$3))) and ((infrared or infra?red) with filter with visible)	US-PGPUB; USPAT; EPO; DERWENT
10	S257 and ("382" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; DERWENT

1	20020001029.pn. and compar$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	(US-5764383-$).did.	USPAT							
1	S260 and perspective	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	S260 and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
0	S260 and wordl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	S260 and world	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	S260 and angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	S260 and angle same shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	S260 and "page shape"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
1	(US-5760925-$).did.	USPAT							
1	(US-5760925-$).did. and magnif$8	USPAT							
1	(US-5764383-$).did.	USPAT							
1	S270 and magnif$8	USPAT							
1	S270 and bound	USPAT							
1	S270 and distort$5	USPAT							
1	(US-6044165-$).did.	USPAT							
1	S274 and (surface or paper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							
10	((surface or paper) with move$8 with detect) same (difference near3 (image or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB							

#	Query	Databases
5	S276 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
255	((surface or paper) with move$8) same (difference near3 (image or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	S278 and ("382" or "358" or "348").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	((surface or paper) with displace$8) same (difference near3 (image or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	S280 and ("382" or "358" or "348").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1480	((paper) with move$8) same (handwriting or pen or pencil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	((paper) with move$8) same (handwriting or pen or pencil) same difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	((paper) with move$8) same difference and (handwriting or pen or pencil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S284 and ("382" or "358" or "348").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	((document) with move$8) same difference and (handwriting or pen or pencil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
279	((surface) with move$8) same difference and (handwriting or pen or pencil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S287 and ("382" or "358" or "348").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

123	((surface) with displac$8) same difference and (handwriting or pen or pencil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	S289 and ("382" or "358" or "348").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	((surface or paper) with (move$ or displac$8)) and (difference near3 (frames or images) with previous) and (handwriting or pen or pencil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	paper same handwriting same video same (move$6 or displace$5) same correct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
456	paper same handwriting same video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	S293 and ("382" or "358" or "348").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	S293 and ("345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	("4315282" | "5157737" | "5181255" | "5226091" | "5297216" | "5317140" | "5323470" | "5325447" | "5333209" | "5337370" | "5347295" | "5347477" | "5365598" | "5436639" | "5552823" | "5581276").PN. OR ("6044165").URPN.	US-PGPUB; USPAT; USOCR
58	(align or register) with "previous frames" with difference	US-PGPUB; USPAT; USOCR
9	S297 and ("382" or "358" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

Hits	Search Query	Databases
86	((frame or image) near4 rotat$4) with (previous adj (image or frame))	US-PGPUB; USPAT; USOCR
15	S299 and ("382" or "358" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1374	(video or camera or online or on?line) with handwriting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	((image or frame) near3 (register or registration)) and S301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	S302 and ("382" or "358" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
428	(skew with correction).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	(skew with correction).ti. and "previous frames"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	(skew with correction).ti. and "previousimages"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	(skew with correction).ti. and "previous images"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	(skew with correction).ti. and "previous image"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	(skew with correction).ti. and "previous frame"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	(skew with correction) with video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	(skew near correction) with video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S311 and ("382" or "358" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

32	(compar$4 with previous with (frames or images)) same (misalign$5 or skew$3 or rotated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	S313 and ("382" or "358" or "348" or "345").clas. and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	5,748,780.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

EAST SEARCH TAGGED

patent #	type	pub date	title	class1	class2	inventor			
US 6355298 B1	USPAT	20020312	Three-dimensional image photographing system	348/47		Abe; Tsutomu et al.			
US 5436639 A	USPAT	19950725	Information processing system	345/156	345/175	Arai; Toshifumi et al.			
US 5581637 A	USPAT	19961203	System for registering component image tiles in a camera-based scanner device transcribing scene images	382/284	382/294	Cass; Todd A. et al.			
US 5585926 A	USPAT	19961217	Document reading apparatus capable of rectifying a picked up image data of documents	358/471	355/47; 355/52; 355/55; 358/474; 358/479; 358/488	Fujii; Shinichi et al.			
US 6256411 B1	USPAT	20010703	Image processing device and method for detecting objects in image data	382/203	358/486; 358/488; 358/493; 382/199; 382/215; 382/317	Iida; Kentaro			
US 5732227 A	USPAT	19980324	Interactive information processing system responsive to user manipulation of physical objects and displayed images	345/775		Kuzunuki; Soshiro et al.			
US 5335292 A	USPAT	19940802	Document processing system and method	382/163	382/175	Lovelady; Kenneth T. et al.			
US 6125197 A	USPAT	20000926	Method and apparatus for the processing of stereoscopic electronic images into three-dimensional computer models of real-life objects	382/154	256/12; 345/420	Mack; Walter J. et al.			
US 6345763 B1	USPAT	20020212	Image reading apparatus for reading a bookform document placed on a document table in face-up state	235/459	250/208.1; 399/362; 399/377	Matsuda; Shinya et al.			
US 5886342 A	USPAT	19990323	Image reader and document curvature measurement using visible and infrared light	250/208.1	358/474; 358/493	Matsui; Toru			

Number	Source	Date	Title	Class	Class	Inventor
US 6633671 B2	USPAT	20031014	Camera-based handwriting tracking	382/187	.	Munich; Mario E. et al.
US 5940544 A	USPAT	19990817	Apparatus for correcting skew, distortion and luminance when imaging books and the like	382/293	358/496; 358/497; 382/275; 382/289	Nako; Kazuyuki
US 5377019 A	USPAT	19941227	Document reading apparatus having a function of determining effective document region based on a detected data	358/464	358/448; 358/463	Okisu; Noriyuki et al.
US 6044165 A	USPAT	20000328	Apparatus and method for tracking handwriting from visual input	382/103	345/179; 382/186; 382/313	Perona; Pietro et al.
EP 1067362 A	DERWENT	20010110	Platenless document imaging system, using digital camera, calculates three-dimensional profile of the document relative to a reference surface from light stripes projected onto document			PILU, M
EP 1067362 A1	EPO	20010110	Document imaging system			PILU, MAURIZIO
US 20010016084 A1	US-PGPUB	20010823	Framing aid for a document capture device	382/317		Pollard, Stephen Bernard et al.
US 5528290 A	USPAT	19960618	Device for transcribing images on a board using a camera based board scanner	348/218.1	382/284	Saund; Eric
US 6411732 B1	USPAT	20020625	Method for interpreting hand drawn diagrammatic user interface commands	382/187	345/863; 715/541	Saund; Eric
US 5760925 A	USPAT	19980602	Platenless book scanning system with a general imaging geometry	358/497	355/25; 355/82; 358/474; 399/362	Saund; Eric et al.
US 5764383 A	USPAT	19980609	Platenless book scanner with line buffering to compensate for image skew	358/497	355/25; 358/474; 358/488; 358/493; 382/289; 399/362	Saund; Eric et al.

Patent	Source	Date	Title	Class	Cross-ref	Inventor
US 6570612 B1	USPAT	20030527	System and method for color normalization of board images	348/218.1	348/239	Saund; Eric et al.
US 5748780 A	USPAT	19980505	Method and apparatus for imaging, image processing and data compression	382/232		Stolfo; Salvatore J.
US 5239373 A	USPAT	19930824	Video computational shared drawing space	348/14.01	178/18.01; 345/179; 348/552; 348/61	Tang; John C. et al.
US 6178270 B1	USPAT	20010123	Method and apparatus for selecting text and image data from video images	382/284	358/453; 382/173; 382/289	Taylor; Michael J. et al.
US 5894529 A	USPAT	19990413	Desk-top three-dimensional object scanner	382/312	358/474	Ting; Jack
US 5511148 A	USPAT	19960423	Interactive copying system	358/1.6	345/156; 715/530	Wellner; Pierre D.
US 6697536 B1	USPAT	20040224	Document image scanning apparatus and method thereof	382/275	358/461; 358/463; 358/464; 358/515; 382/163; 382/164; 382/165; 382/203; 382/219	Yamada; Keiji